


HOLY CHILD SR. SEC. SCHOOL
HOLIDAY HOMEWORK
CLASS 12-A
PHYSICS


SECTION A
CONCEPTUAL AND APPLICATION TYPE QUESTIONS

- 1 Is the force acting between two point charges q_1 and q_2 kept at some distance apart in air attractive or repulsive when i) $q_1 q_2 > 0$ ii) $q_1 q_2 < 0$?
- 2 If the distance between two equal point charges is doubled and their individual charges are also doubled, what would happen to the force between them ?
- 3 Do the electrostatic field lines form closed loops?
- 4 A hollow metal sphere of radius 5cm is charged such that the potential on its surface is 10V. What is the electric field at the centre of the sphere?
- 5 What is meant by the statement that
“the electric field of a point charge has spherical symmetry whereas electric field due to an electric dipole is cylindrically symmetrical” ?
- 6 Why is it difficult to perform electrostatic experiments on a humid day?
- 7 The distance of the field point on the equatorial plane of a small electric dipole, is halved. By what factor will the electric field, due to the dipole change?
- 8 What is the precaution to be taken in selecting the Gaussian surface, regarding the charge ?
- 9 For a system of two point charges $+5\mu\text{C}$ and $-3\mu\text{C}$ separated by a distance of d apart, draw electric lines of forces
- 10 Two point charges of unknown magnitude and sign are placed some distance apart. The intensity of electric field is zero at a point on the line joining them i) between them at midpoint of the line joining them ii) not between them. What do you infer about their sign and magnitude of the two point charges in each case?
- 11 State two points of difference between charging by induction and charging by conduction .
- 12 Two protons are brought nearer; how does the potential energy of the system change?
- 13 An electron and a proton are brought nearer; how does the potential energy of the system change?
- 14 Which among the following molecules has HCl, CH_4 i) zero dipole moment ii) non zero dipole moment ?
- 15 Why the dielectric constant of water is as high as 81, while that of mica it is 6?
- 16 What is the effect of motion on charge q and a mass m of an electron moving with a speed of 10^4 m/s?


- 17 Which among the following electric field , potential is /are discontinuous across the surface of a charged conductor?
- 18 A spherical rubber balloon carries a charge which is uniformly distributed over its surface . If the balloon is inflated further so that its volume becomes eight times its original volume , how would the electric flux change?
- 19 Can a charge exists without mass ? Justify.
- 20 What is the dielectric constant of a metallic conductor?
- 21 A spherical conducting shell of inner radius r_1 and outer radius r_2 has a charge 'Q'. A charge 'q' is placed at the centre of the shell.
- (a) What is the surface charge density on the (i) inner surface, (ii) outer surface of the shell?
- (b) Write the expression for the electric field at a point $x > r_2$ from the centre of the shell.
- 22 Two small identical electrical dipoles AB and CD, each of dipole moment 'p' are kept at an angle of 120° as shown in the figure. What is the resultant dipole moment of this combination? If this system is subjected to electric field (\vec{E}) directed along + X direction, what will be the magnitude and direction of the torque acting on this?



- 23 Two uniformly large parallel thin plates having charge densities $+\sigma$ and $-\sigma$ are kept in the X-Z plane at a distance 'd' apart. Sketch an equipotential surface due to electric field between the plates. If a particle of mass m and charge '-q' remains stationary between the plates, what is the magnitude and direction of this field?
- 24 i) A point charge (+Q) is kept in the vicinity of uncharged conducting plate. Sketch electric field lines between the charge and the plate.
- ii) Two infinitely large plane thin parallel sheets having surface charge densities σ_1 and σ_2 , ($\sigma_1 > \sigma_2$) are shown in the figure. Write the magnitudes and directions of the net fields in the regions marked II and III.



- 25 Three concentric metallic shells A, B and C of radii a , b and c ($a < b < c$) have surface charge densities $+\sigma$, $-\sigma$ and $+\sigma$ respectively as shown in the figure.




If shells A and C are at the same potential, then obtain the relation between the radii a , b and c .


- 26 In a type of charge configuration electric field at a point due to it is
- i) independent of distance from the point
 - ii) inversely proportional to the distance from the point
 - iii) inversely proportional to the square of distance from the point
 - iv) inversely proportional to the cube of distance from the point
- Identify the type of charge configuration in each case.

- 27 Draw or describe schematically equi potential surface for the following cases
- i) uniform electric field along z - direction
 - ii) an electric field that uniformly increases in magnitude but remains same in x -direction

- 28 The figure below shows tracks of three charged particles in a uniform electro static field. Give the signs of the three charges. Which particle has the highest charge to mass ratio?




- 29 In the figure shown, calculate the total electric flux of the electric field through the spheres S_1 and S_2 . The wire AB is of linear density λ given by $\lambda = kx$, where x is the distance measured along the wire from the end A




- 30 Two concentric metallic spherical shells of radii R and $2R$ are given charges Q_1 and Q_2 respectively.
The surface charge densities on the outer surfaces of the shells are equal. Determine the ratio $Q_1 : Q_2$.

SECTION B NUMERICAL PROBLEMS

- 1 An infinite line charge produces a field of 9×10^4 N/C at a distance of 2cm. Calculate the linear charge density.
- 2 Four point charges $q_A = 2 \mu\text{C}$, $q_B = -5 \mu\text{C}$, $q_C = 2 \mu\text{C}$, and $q_D = -5 \mu\text{C}$ are located at the corners of a square ABCD of side 10 cm. What is the force on a charge of $1 \mu\text{C}$ placed at the centre of the square?
- 3 Three small identical conducting spheres have charges $-3 \times 10^{-12}\text{C}$, $8 \times 10^{-12}\text{C}$ and $4 \times 10^{-12}\text{C}$ respectively. They are brought in contact and then separated. Calculate (i) charge on each sphere after separation (ii) number of electrons in excess or deficit on each sphere after separation .
- 4 Figure below shows situations in which four charged particles are evenly spaced to the left and right of a central point. The charge values are indicated. Rank the situations according to the magnitude of the net electric field at the central, point, Increasing order.




- 5 A hollow conducting sphere of radius 8cm is given a charge $16\mu\text{C}$.What is the electric field intensity i) at the centre of the sphere ii) on the outer surface of the sphere and iii) at a distance of 16cm from the centre of the sphere?
- 6 Four charges of $-2q$, q , $-q$ and $2q$ are at the corners of a square ABCD ,of side 20cm, find the magnitude and the direction of the electric field at the centre of the square. Take $q = 5 \mu\text{C}$



- 7 A point charge causes an electric flux of $-1.0 \times 10^3 \text{ Nm}^2 / \text{C}$ to pass through a spherical Gaussian surface of 10.0 cm radius with the charge at the centre. What is the value of point charge?
If the radius of the Gaussian surface were doubled, how much flux would pass through the surface?

- 8 Figure shows three point charges, $+2q$, $-q$ and $+3q$. Two charges $+2q$ and $-q$ are enclosed within a surface 'S'. What is the electric flux due to this configuration through the surface 'S'?




- 9 Name the charge configuration for which electric field at distances 1cm, 2cm, 3cm are in the ratio%
a) $1: 1/8 : 1/27$
b) $1: 1/4 : 1/9$
- 10 The electric field lines on the left have twice the separation of those on the right. If the magnitude of the field at A is 40N/C , calculate i) the magnitude of the force on a proton at A .ii) the magnitude of field at B.




- 11 Two tiny spheres, each having mass m kg and charge q coulomb are suspended from a point


by insulating threads each of l metre length but negligible mass .when the system is in equilibrium, each string makes an angle θ with the vertical as shown in the figure. Prove that $q^2 = 16mgl^2(\sin^2\theta\tan\theta)\pi\epsilon_0$




- 12 A charge of magnitude Q is divided into two parts q and $(Q-q)$ such that the two parts exert maximum force on each other. Calculate the ratio Q/q
- 13 An infinite number of charges each of magnitude q , but consecutive charges of opposite sign are placed along the X -axis at $X = 1, 2, 4, 8 \text{ m} \dots$. Determine the intensity of electric field at $X = 0$ due to these charges.
- 14 A free pith ball of mass 8 g carries a positive charge of $5 \times 10^{-8} \text{ C}$. What must be the nature and the magnitude of charge that should be given to a second pith ball fixed 5 cm vertically below the first pith ball so that the upper ball is stationary.
- 15 i) An electric dipole of two opposite charges of same magnitude $2 \mu\text{C}$ separated by 4 cm , is placed in an electric field of $3 \times 10^4 \text{ V/m}$, at an angle of 30° . Calculate the torque experienced by it.
- ii) An electric dipole with dipole moment $4 \times 10^{-9} \text{ C m}$ is aligned at 30° with the direction of a uniform electric field of magnitude $5 \times 10^4 \text{ NC}^{-1}$. Calculate the magnitude of the torque acting on the dipole.
- 16 Two point charges $+9e$ and $+1e$ are kept at a distance of 16 cm from each other. At what point between these charges, should a third charge q to be placed so that it remains in equilibrium?



- 17 A pendulum bob of mass 80 mg , carrying a charge of $2 \times 10^{-8} \text{ C}$ is at rest in a horizontal uniform electric field of $2 \times 10^4 \text{ V/m}$ as shown in the figure. Calculate the tension in the thread of the pendulum and the angle θ it makes with the vertical.



- 18 Two identical spheres, each of mass $0.1 \times 10^{-3} \text{ kg}$, carry identical charges and are suspended by two threads of equal length. At equilibrium, they position themselves as shown in the figure. Calculate the charge on each of them.



- 19 Two electric charges of q and $4q$ are placed at a distance of $6a$ apart on a horizontal plane . Find the point on the line joining them where the resultant electric field is zero.
- 20 A point charge of $2\mu\text{C}$ is placed at the centre of a cubical Gaussian surface .Calculate the electric flux passing through i) any one face of the cube ii) entire cube .

ENGLISH

1. Learn any 25 proverbs and 25 phrases.
2. Make a Poster Highlighting the drawbacks of war.(The Last Lesson) on an A4 size sheet.
3. Write any one article or poem on any current topic or any social issue for the School magazine.
4. Prepare the Project file as instructed in the class.
5. Prepare all the chapters covered in the class for the Test after the vacation.

ECONOMICS

1. Practice MCQ's, Case Base Questions, Assertion and Reason based questions of National Income (Unit 1).
2. Prepare the Mind Maps on A4- Size Sheet on the following topics:
 - (1) National Income & Related Aggregates (Roll no. 1-6)
 - (2) Product Method of National Income Accounting (Roll no. 7-12)
 - (3) Income Method of National Income Accounting (Roll no. 13-18)
 - (4) Expenditure Method of National Income Accounting (Roll no. 19-24)

****Mind Maps should be your own work.***
3. Make a PPT presentation on:
Indian Economy on the Eve of Independence
4. Prepare Unit – 1 for Test after vacations.

CHEMISTRY

1. Practice MCQ's, Case Base Questions, Assertion and Reason based questions of Haloalkanes and Haloarenes chapter 6.
2. Prepare a table of name reactions of chapter 6 on an A 4 size sheet.
3. Make a table of formulas of chapter 1.
4. Prepare chapter 1 and 6 for Test after vacation.
5. Write a report on investigatory project allotted in the class.
6. Write experiments done in the lab in your lab manual.

MATHS

1. Practice MCQ's, Case Base Questions and extra questions of chapter 3,4 and 5.
2. Prepare "formula sheet" on A 4 size sheet on the following topics-
 - a) Derivatives
 - b) Matrices
3. Write 5 activities in lab manual as discussed in class.
4. Prepare chapters 3,4 and 5 for Test after vacation.

PHYSICAL EDUCATION

1. Practice chapter 1 to 5.
2. Prepare a poster on " Importance of Yoga".
3. Complete your project file as per discussed in the class.
4. Prepare chapter 1 to 5 for Test after vacation.

INFORMATION PRACTICE (IP)

Learn Ch – 6 (Societal Impacts) , Ch-5(Internet and Web)

For school magazine submit material on any topic related to IT.

BIOLOGY

1. Learn Unit-1 for PT 1.
2. Solve the following questions in your notebook.

CHAPTER 1

- 1 Which individuals can be termed as clones?
- 2 How do the following organisms reproduce: a) Paramecium b) Penicillium?
- 3 Which part of banana and ginger plants are used for vegetative propagation?
- 4 In Bryophyllum, leaf margins show green structures. What are these? Name another plant having such structure.
- 5 What is the vital link between two generations?
- 6 Give term for the condition in which a single organism possesses both sex organs.
- 7 Why do hilly areas of Kerala, Karnataka and Tamil Nadu transform into blue stretches that attracts many tourists?
- 8 Define 'oestrus' and 'menstrual' cycles.
- 9 Differentiate between homogamete and heterogametes.
- 10 What regulates the reproduction processes and the associated behavioral expressions in organisms?
- 11 Give any three differences between asexual and sexual reproduction.
- 12 Enlist the changes that occur post- fertilization in plants.

CHAPTER 2

- 1 What is agamospermy?
- 2 Can snails pollinate the flowers? What do you call such a pollination?

- 3 In some species of Asteraceae and grasses, seeds are formed without fusion of gametes. Give the scientific term for such type of reproduction.
- 4 How are pollen stored in a pollen bank?
- 5 How are seeds advantageous to us?
- 6 In the embryos of a typical dicot and a grass, which are the true homologous structures?
- 7 State two differences between Perisperm and Pericarp
- 8 Draw I.s of anatropous ovule of an angiosperm and label a) Nucellus b) Secondary nucleus.
- 9 a) Draw a labeled sectional view of albuminous seed.
b) Give two advantages of seeds to flowering plants
- 10 Continued self pollination lead to inbreeding depression. List three devices, which flowering plant have developed to discourage self pollination?

CHAPTER 3

- 1 Where fertilization does takes place in human female?
- 2 Which cells of embryo have potency to give rise to all tissues and organs?
- 3 Write two major functions of ovary.
- 4 How many eggs are released by human female in a month?
- 5 Which hormone is involved in induction of parturition?
- 6 What is colostrum?
- 7 Why testes are situated outside the abdominal cavity within a pouch called scrotum?
- 8 Identify major differences between spermatogenesis and oogenesis?
- 9 Write the function of each one of the following:
 - (a) Seminal vesicle
 - (b) Luteinising hormone in males
- 10 Draw a labeled diagram of the microscopic structure of sperm.

CHAPTER 4

- 1 Name the drug developed by CDRI, Lucknow.
- 2 Increasing female foeticide is the result of amniocentesis. How?
- 3 Cutting and tying of vas deferens is termed as -----.
- 4 At how many cell stage embryo will transfer in ZIFT?
- 5 Lactational amenorrhea is a contraceptive method. How?
- 6 Give two examples of copper releasing IUDs.
- 7 Write type of surgical methods of contraception.
- 8 Oral contraceptives are considered safer than other methods. Justify
- 9 Write the full form of ART. List any two techniques.
- 10 When does GIFT and ZIFT applied?
- 11 What are the objectives of sex education in schools?
- 12 Write the aims and objectives of RCH programmes.